

WHY CHOOSE A RIGID-INFLAT




ABLE BOAT ATLANTICRAFT?





Our direct sales system

To offer you boats of excellent quality at competitive prices, we have chosen to sell directly. This allows us to fully control the distribution chain of our products and the after-sales service.








INNOVATION AND QUALITY: A PRIORITY FOR ATLANTICRAFT

AtlantiCraft is the first rigid-inflatable boat brand to fully control the distribution chain from design to delivery to the final customer. This allows us to ensure one of the best quality controls in the market. Today, AtlantiCraft is the only brand offering boats equipped with more durable and resilient aluminum consoles and seats. Additionally, aluminum is a material that can be infinitely recycled.






EXCEPTIONAL SEAWORTHINESS







Configurations



Configurations










CONSOLES AND SEATS EXCLUSIVELY IN ALUMINIUM

HIGH-DENSITY UPHOLSTERY WEATHER-RESISTANT



RANGES





CONDOR Essential

4.30
5.00
5.50
6.00
6.50







AtlantiCraft

The CONDOR features the excellent V-shaped hull of the OCEAN. As comfortable and reassuring as its larger counterpart, the CONDOR stands out with its open deck layout, specifically designed to facilitate movement on board. Perfect for fishing, waterskiing, or underwater hunting, the CONDOR range offers rigid-inflatable boats suited to all kinds of activities.

These boats are both fun, efficient, and maneuverable. Their aluminum hull is particularly effective. Thanks to its lightweight construction, the CONDOR is easy to beach and transport on a trailer.




CONDOREssential












	4.30	5.00	5.50	6.00	6.50	
Length (m)	4.30	5.00	5.50	6.00	6.50	
Width (m)	2.00	2.40	2.40	2.50	2.55	
Capacity (pers)	8	10	11	12	13	
Max load (Kg)	840	994	1194	1302	1387	
Max power (CV)	60	100	115	150	200	
Diameter tube (cm)	46	52	52	55	55	
Weight (Kg) *	240	420	490	640	685	
Tank (L)	60	118	118	148	170	

^{*}Includes console, seats and rollbar



OCEANVersatility









OCEAN, a true Swiss Army knife! The perfect compromise for family outings, fishing trips, wakeboarding, or skiing sessions. A truly easy and versatile boat.

The OCEAN has been designed to provide maximum comfort and ergonomics. Its offset console allows for easy passage to the front, while the generous rear bench with integrated storage will hold your personal belongings, freeing up a large interior space.

Its pronounced V-shaped hull ensures exceptional seaworthiness. You will take to the sea with complete safety.



OCEANVersatility

















	5.00	5.50	6.00	6.50	7.00	7.60	8.60	9.60
Length (m)	5.00	5.50	6.00	6.50	7.00	7.60	8.60	9.60
Width (m)	2.34	2.34	2.50	2.55	2.80	2.80	3.05	3.15
Capacity (pers)	10	11	12	13	14	16	20	24
Max load (Kg)	994	1194	1302	1387	1567	1877	2130	2280
Max power (CV)	100	115	150	200	250	300	2x300	2x350
Tube diameter (cm)	53	53	55	55	55	55	55	58
Weight (Kg) *	430	504	665	704	890	975	1373	1500
Tank (L)	80	100	120	150	250	280	400	500

^{*}Includes console, seats and rollbar



LOUNGE Premium

6.50

7.00

7.60


8.60

9.60

10.60









The LOUNGE is the perfect companion for your sunset cocktails with friends or long sunbathing sessions, thanks to its modular table and sunbathing area.

Experience all the benefits of a Mediterranean deck layout combined with outstanding seaworthiness and the robustness of a PRO boat.

It features a large rear bench, a folding table, and ample storage for optimal comfort and convenience
















	6.50	7.00	7.60	8.60	9.60	10.60
Length (m)	6.50	7.00	7.60	8.60	9.60	10.60
Width (m)	2.55	2.80	2.90	3.10	3.15	3.15
Capacity (pers)	13	14	16	20	24	25
Max load (Kg)	1387	1567	1877	2130	2280	2800
Max power (CV)	200	250	300	2x300	2x350	2x400
Tube diameter (cm)	55	55	58	58	58	60
Weight (Kg) *	700	900	980	1390	1500	1650
Tank (L)	140	250	250	400	500	600

^{*}Includes console, seats and rollbar



BlackPearl

Pro Fishing









BLACKPEARL

Sailing on a BLACKPEARL offers a unique experience for fishing enthusiasts. The BLACKPEARL is the ultimate choice for both amateur and professional anglers, providing ample storage space with a livewell beneath the deck and a multitude of features such as rod holders welded to the seats and an EVA ruler for measuring your catch. The BLACKPEARL remains highly versatile, whether you're looking for a peaceful outing, a family fishing day, or an adventure with friends — it will meet all your expectations.

Its specially designed hull ensures exceptional stability at sea. Discover our 6 models ranging from 5.50m to 8.60m, each offering features tailored to the specific needs of fishermen.













BLACKPEARL

Pro Fishing













	5.50	6.00	6.50	7.00	7.60	8.60
Length (m)	5.50	6.00	6.50	7.00	7.60	8.60
Width (m)	2.34	2.55	2.55	2.80	2.80	3.05
Capacity (pers)	11	12	13	15	16	18
Max load (Kg)	1194	1302	1387	1567	1877	2130
Max power (CV)	115	150	200	250	300	2*300
Tube diameter (cm)	53	55	55	55	55	55
Weight (Kg) *	504	665	704	890	975	1373
Tank (L)	100	120	150	250	280	400


^{*}Includes console and seats



PROModularity

5.50 Boat license **6.00** Boat license **6.50** *Diving* 7.00 NUC / Diving 7.60 NUC / Diving 8.60 NUC / Diving 9.60 NUC / Diving 10.60 NUC / Diving

12.00 NUC / Diving







scientific missions, we are here to customize your boat according to your needs.

PRO range: 9 lengths, from 5.50 to 12.0 meters!







	5.50	6.00	6.50	7.00	7.60	8.60	9.60	10.60	12.00
Length (m)	5.00	5.50	6.00	7.00	7.60	8.60	9.60	10.60	12.00
Width (m)	2.40	2.40	2.50	2.90	2.90	3.10	3.15	3.15	3.20
Capacity (pers)	10	11	12	15	16	20	24	25	26
Max load (Kg)	1194	1302	1387	1567	1877	2130	2280	2800	3200
Max power (CV)	100	115	150	250	300	2x200	2x350	2x400	3x350
Tube diameter (cm)	52	52	55	55	58	58	58	60	60
Weight (Kg)	420	470	640	900	980	1390	1500	1650	2000
Tank (L)	118	118	148	250	250	400	500	600	800

^{*}Includes console, seats and rollbar



ANNEXE Practicality

2.703.303.604.30





TENDER

Extremely lightweight, AtlantiCraft tenders are handled effortlessly. Their large-diameter tubes enhance stability and keep you dry while moving.

You will appreciate their ability to plane quickly, allowing for the safe transportation of passengers and equipment.





TENDER Practicality









	2.70	3.30	3.60	4.30
Length (m)	2.70	3.30	3.60	4.30
Width (m)	1.50	1.70	1.74	2.00
Capacity (pers)	3	5	6	8
Max load (Kg)	400	550	630	840
Max power (CV)	10	25	30	60
Tube diameter (cm)	42	42	44	46
Weight (Kg) *	28	65	89	192
Tank (L)	/	/	/	/



CONDOR RANGE

Taskasiasi					
Technical Specifications	Condor 4.30	Condor 5.00	Condor 5.50	Condor 6.00	Condor 6.50
Length (m)	4.30	5.00	5.50	6.00	6.50
Width (m)	2	2.40	2.40	2.50	2.55
Internal Length (m)	3.28	4.04	4.54	5.04	5.54
Internal Width (m)	1.04	1.30	1.30	1.40	1.40
Bow Height (m)	0.98	1.16	1.16	1.16	1.16
Stern Height (m)	0.60	0.76	0.76	0.78	0,78
Watertight Compartments	4	5	5	6	6
V-Hull Angle (°)	20	24	24	24	24
Capacity (pers)	8	10	11	12	13
Recommended Capacity	6	6	7	8	8
Max Load (Kg)	840	994	1194	1302	1387
Max Power (CV)	60	100	115	150	200
Recommended Power (CV)	40	80	90	115	150
Tube Diameter (cm)	46	52	52	55	55
Weight (Kg) *	240	420	490	640	685
Max Engine Weight (kg)	115	166	194	230	263
Shaft Length	L	L	L	XL	XL
Transom Height (mm)	530	530	530	640	640
Conception category	С	С	С	С	С
Tank (L)	60	118	118	148	170

OCEAN RANGE

Technical Specifications	Ocean 5.00	Ocean 5.50	Ocean 6.00	Ocean 6.50	Ocean 7.00	Ocean 7.60	Ocean 8.60	Ocean 9.60
Length (m)	5.00	5.50	6.00	6.50	7.00	7.60	8.60	9.60
Width (m)	2.34	2.34	2.50	2.55	2.80	2.80	3.05	3.10
Internal Length (m)	3.25	3.73	4.24	4.75	5.26	5.87	6.70	7.75
Internal Width (m)	1.24	1.24	1.40	1.40	1.66	1.66	1.88	1.90
Bow Height (m)	1.11	1.11	1.28	1.28	1.34	1.34	1.48	1.60
Stern Height (m)	0.80	0.85	0,91	0.94	0.95	0.96	1.00	1.04
Watertight Compartments	6	6	6	6	6	6	6	7
V-Hull Angle (°)	23	23	24	25	25	25	26	26
Capacity (pers)	10	11	12	13	14	16	20	22
Recommended Capacity	6	7	8	8	9	10	14	16
Max Load (Kg)	994	1194	1302	1387	1567	1877	2130	2280
Max Power (CV)	100	115	150	200	250	300	2*300	2*350
Recommended Power (CV)	80	90	115	150	200	250	350	2*250
Tube Diameter (cm)	53	53	55	55	55	55	55	58
Weight (Kg) *	430	504	665	704	890	975	1373	1500
Max Engine Weight (kg)	166	194	230	263	290	310	680	750
Shaft Length	L	L	XL	XL	XL	XL	XL/XL	XL/XL
Transom Height (mm)	530	530	640	640	640	640	730	730
Conception category	С	С	С	С	С	С	B/C	B/C
Tank (L)	80	100	120	150	250	280	400	500

LOUNGE RANGE

Technical Specifications	Lounge 6.50	Lounge 7.00	Lounge 7.60	Lounge 8.60	Lounge 9.60
Length (m)	6.50	7.00	7.60	8.60	9.60
Width (m)	2.55	2.80	2.90	3.10	3.15
Internal Length (m)	4.70	5.16	5.76	6.70	7.75
Internal Width (m)	1.50	1.70	1.70	1.86	1.90
Bow Height (m)	1.20	1.39	1.39	1.60	1.60
Stern Height (m)	0.87	0.90	0.90	1.04	1.04
Watertight Compartments	5	6	6	7	7
V-Hull Angle (°)	26	24	24	26	26
Capacity (pers)	13	14	16	20	24
Recommended Capacity	8	9	10	14	16
Max Load (Kg)	1387	1567	1877	2130	2280
Max Power (CV)	200	250	300	2*300	2*350
Recommended Power (CV)	150	200	250	2*200	2*250
Tube Diameter (cm)	55	55	58	58	58
Weight (Kg) *	700	900	980	1390	1500
Max Engine Weight (kg)	263	290	310	680	750
Shaft Length	XL	XL	XL	XL/XL	XL/XL
Transom Height (mm)	640	640	640	730	730
Conception category	С	С	С	B/C	B/C
Tank (L)	140	250	250	400	500

BLACKPEARL RANGE

Technical Specifications	5.50	6.00	6.50	7.00	7.60	8.60
Length (m)	5.50	6.00	6.50	7.00	7.60	8.60
Width (m)	2.34	2.50	2.55	2.80	2.80	3.05
Internal Length (m)	3.73	4.24	4.75	5.26	5.87	6.70
Internal Width (m)	1.24	1.40	1.40	1.66	1.66	1.88
Bow Height (m)	1.11	1.28	1.28	1.34	1.34	1.48
Stern Height (m)	0.85	0,91	0.94	0.95	0.96	1.00
Watertight Compartments	6	6	6	6	6	6
V-Hull Angle (°)	23	24	25	25	25	26
Capacity (pers)	11	12	13	15	16	20
Recommended Capacity	7	8	8	9	10	14
Max Load (Kg)	1194	1302	1387	1567	1877	2130
Max Power (CV)	115	150	200	250	300	2*300
Recommended Power (CV)	90	115	150	200	250	350
Tube Diameter (cm)	53	55	55	55	55	55
Weight (Kg) *	504	665	704	890	975	1373
Max Engine Weight (kg)	194	230	263	290	310	680
Shaft Length	L	XL	XL	XL	XL	XL/XL
Transom Height (mm)	530	640	640	640	640	730
Conception category	С	С	С	С	С	B/C
Tank (L)	100	120	150	250	280	400

*Includes console et seats 49

PRO RANGE

Technical Specifications	5.50	6.00	6.50	7.00	7.60	8.60	9.60	10.60	12.00
Length (m)	5.50	6.00	6.50	7.00	7.60	8.60	9.60	10.60	12.00
Width (m)	2.40	2.50	2.55	2.90	2.90	3.10	3.15	3.15	3.20
Internal Length (m)	4.54	5.04	5.54	5.16	5.76	6.70	7.75	8.80	10.2
Internal Width (m)	1.30	1.40	1.40	1.70	1.70	1.86	1.90	1.90	2.00
Bow Height (m)	1.16	1.16	1.16	1.39	1.39	1.60	1.60	1.60	1.60
Stern Height (m)	0.76	0.78	0,78	0.90	0.90	1.04	1.04	1.04	1.04
Watertight Compartments	5	6	6	6	6	7	7	8	8
V-Hull Angle (°)	24	24	24	24	24	26	26	26	26
Capacity (pers)	11	12	13	15	16	20	24	25	26
Recommended Capacity	7	8	8	10	12	14	16	16	18
Max Load (Kg)	1194	1302	1387	1567	1877	2130	2280	2800	3200
Max Power (CV)	115	150	200	250	300	2*300	2*350	2*400	3*350
Recommended Power (CV)	90	115	150	200	250	2*200	2*250	2*300	2*350
Tube Diameter (cm)	52	55	55	55	58	58	58	60	60
Weight (Kg) *	490	640	685	900	980	1390	1500	1650	2000
Max Engine Weight (kg)	194	230	263	290	310	680	750	780	1020
Shaft Length	L	XL	XL	XL	XL	XL/XL	XL/XL	XL/XL	XL/UL/XL
Transom Height (mm)	530	640	640	640	640	730	730	730	730
Conception category	С	С	С	С	С	B/C	B/C	B/C	B/C
Tank (L)	118	148	160	250	250	400	500	600	800

TENDER RANGE

Technical Specifications	Tender 2.70	Tender 3.30	Tender 3.60	Tender 4.30
Length (m)	2.70	3.30	3.60	4.30
Width (m)	1.50	1.70	1.74	2.00
Internal Length (m)	1.64	2.4	2.70	3.15
Internal Width (m)	0.70	0.83	0.83	1.04
Bow Height (m)	0.65	0.85	0.88	0.95
Stern Height (m)	0.40	0.41	0.41	0.53
Watertight Compartments	3	3	4	4
V-Hull Angle (°)	/	20	20	20
Capacity (pers)	3	5	6	8
Recommended Capacity	2	4	5	6
Max Load (Kg)	400	550	630	840
Max Power (CV)	10	25	30	60
Recommended Power (CV)	6	20	25	40
Tube Diameter (cm)	42	42	44	46
Weight (Kg)	28	65	89	192
Max Engine Weight (kg)	53	70	72	115
Shaft Length	S	S	S	L
Transom Height (mm)	400	410	410	530
Conception category	С	С	С	С
Tank (L)	/	/	/	/







ATLANTICRAFT SERVICE

An international network of trusted partners and intervention teams.

Thanks to our partners strategically located across France and its overseas territories, as well as our intervention teams, you will benefit from efficient and reliable after-sales service.

Our teams will bring together all their expertise to serve you. Don't hesitate to contact us to learn more!









