



AtlantiCraft



Aluminium rigid
Inflatable boats

www.atlanticraftboats.com

CONTENTS

4

Why choose an AtlantiCraft Rigid Inflatable Boat?

10

Configurations

12

Equipment

16

Ranges

18

BLACKPEARL - Pro Fishing

26

OCEAN - Versatility

30

CONDOR - Essential

34

LOUNGE - Relaxation

38

PRO - Modularity

46

TENDER - Practicality

50

Technical specifications

AtlantiCraft positions itself at the forefront of innovation in the world of rigid inflatable boats. Innovation is the very essence of our brand, and we have made it a priority to deliver the boats of tomorrow. By using aluminium, we achieve unmatched performance while meeting the most demanding engineering standards. The result? High-end boats that are both powerful and accessible.



WHY CHOOSE AN



ATLANTICRAFT RIB ?





INNOVATION AND QUALITY: AN ATLANTICRAFT PRIORITY

AtlantiCraft is the first RIB brand to fully control the distribution chain, from design to final delivery to the customer.

This enables us to ensure one of the highest quality standards on the market. Today, AtlantiCraft is the only RIB manufacturer offering boats equipped with aluminium consoles and seats that are stronger and more durable.

In addition, aluminium is a material that can be infinitely recycled.



WaveMaster hull delivering unmatched
seakeeping, ensuring comfort and safety even in
rough seas.



EXCEPTIONAL SEAKEEPING




Aluminium hull designed for
exceptional planing, maximizing
performance while minimizing fuel
consumption.




Configurations


Hull



Tube




Stripe



Configurations


Grab handles



Deck Covering - EVA



Upholstery





Swim platforms



Boarding Ladder



Swim Ladder




T-TOP

EQUIPMENTS



Choose the electronic equipment that suits you best.





**CONSOLES AND SEATS
EXCLUSIVELY IN ALUMINIUM**

HIGH-DENSITY UPHOLSTERY WEATHER-RESISTANT



RANGES



BlackPearl / Pro Fishing



Ocean / Versatility



Condor / Essential



Lounge / Relaxation




Pro / Modularity



Tender / Practicality

BlackPearl

Pro Fishing





BLACKPEARL

Sailing on a BLACKPEARL is a unique experience for fishing enthusiasts. The BLACKPEARL is the ultimate choice for both amateur and professional anglers, offering vast storage space with an under-deck livewell and a wide range of equipment such as rod holders welded to the seats and an EVA measuring board for your catch.

The BLACKPEARL remains highly versatile: whether you are looking for a peaceful outing, a family fishing day, or an adventure with friends, it will meet all your expectations. Its specially designed hull ensures exceptional stability at sea.

Discover our 6 models ranging from 5.50 m to 8.60 m, each offering features tailored to the specific needs of fishermen.





Leaning Post with Welded
Rod Holders



Carbon-Finish Hypalon
Reinforcements in Fishing
Areas



Large Fishing Areas



Under-Deck Livewell with
Filling Pump and Drain
Pump




Wide Aluminium Console
Accommodating Two Built-In 12"
Screens

- Designed for fishing guides and pro fishing.
- Boat with a V-hull for optimal stability.
- Professional equipment included as standard.
- Perfect for sport, recreational, or family fishing.
- Robust construction for intensive use.

BLACKPEARL is the choice of fishermen who leave nothing to chance. A blend of technology, safety, and passion for those who live the sea every day.



Seawater
Washdown System



EVA Fish Measuring
Board

BLACKPEARL
Pro Fishing


	5.50	6.00	6.50	7.00	7.60	8.60
Length (m)	5.50	6.00	6.50	7.00	7.60	8.60
Width (m)	2.34	2.55	2.55	2.80	2.80	3.05
Capacity (pers)	11	12	13	15	16	18
Max load (Kg)	1194	1302	1387	1567	1877	2130
Max power (CV)	115	150	200	250	300	2*300
Tube diameter (cm)	53	55	55	55	55	55
Weight (Kg) *	504	665	704	890	975	1373
Tank (L)	100	120	150	250	280	400

*Includes console, seats



OCEAN

Versatility







OCEAN

OCEAN, the true Swiss Army knife! The ideal compromise for family outings, fishing trips, wakeboarding, or water-skiing sessions. A truly easy-to-handle and versatile boat.

The OCEAN has been designed to ensure maximum comfort and ergonomics. Its offset console allows easy passage to the bow, while its generous aft bench with integrated storage will hold your personal belongings, freeing up a large interior space.

Its deep-V hull provides exceptional seakeeping, so you can sail out in complete safety.



OCEAN

Versatility

	5.00	5.50	6.00	6.50	7.00	7.60	8.60	9.60
Length (m)	5.00	5.50	6.00	6.50	7.00	7.60	8.60	9.60
Width (m)	2.34	2.34	2.50	2.55	2.80	2.80	3.05	3.15
Capacity (pers)	10	11	12	13	14	16	20	24
Max load (Kg)	994	1194	1302	1387	1567	1877	2130	2280
Max power (CV)	100	115	150	200	250	300	2x300	2x350
Tube diameter (cm)	53	53	55	55	55	55	55	58
Weight (Kg) *	430	504	665	704	890	975	1373	1500
Tank (L)	80	100	120	150	250	280	400	500

*Includes console, seats and rollbar



CONDOR

Essential



4.30

5.00

5.50

6.00

6.50







CONDOR

The CONDOR inherits the excellent deep-V hull of the OCEAN. Just as comfortable and reassuring as its older brother, the CONDOR stands out with its open deck layout, specially designed to make movement on board easier.

Perfect for fishing, water-skiing, or spearfishing, the CONDOR range offers RIBs suited to every desire. These are boats that are fun, efficient, and highly manoeuvrable. Its aluminium hull is particularly effective, and thanks to its reduced weight, the CONDOR is easy both to beach and to trailer.



CONDOR

Essential


	4.30	5.00	5.50	6.00	6.50
Length (m)	4.30	5.00	5.50	6.00	6.50
Width (m)	2.00	2.40	2.40	2.50	2.55
Capacity (pers)	8	10	11	12	13
Max load (Kg)	840	994	1194	1302	1387
Max power (CV)	60	100	115	150	200
Diameter tube (cm)	46	52	52	55	55
Weight (Kg) *	240	420	490	640	685
Tank (L)	60	118	118	148	170

*Includes console, seats and rollbar



LOUNGE

Relaxation







Retractable Table
in Sunpad



LOUNGE

The LOUNGE is the ideal companion for your sunset aperitifs with friends or for long naps in the sun, thanks to its modular table and sunpad.

It combines all the advantages of a Mediterranean deck layout with remarkable seakeeping and the robustness of a PRO boat.

A large aft bench, retractable table, and numerous storage compartments offer optimal comfort on board.

LOUNGE

Relaxation

	6.50	7.00	7.60	8.60	9.60	10.60
Length (m)	6.50	7.00	7.60	8.60	9.60	10.60
Width (m)	2.55	2.80	2.90	3.10	3.15	3.15
Capacity (pers)	13	14	16	20	24	25
Max load (Kg)	1387	1567	1877	2130	2280	2800
Max power (CV)	200	250	300	2x300	2x350	2x400
Tube diameter (cm)	55	55	58	58	58	60
Weight (Kg) *	700	900	980	1390	1500	1650
Tank (L)	140	250	250	400	500	600


*Includes console, seats and rollbar



PRO

Modularity

*Passenger Transport Vessel,
Cargo Transport Vessel,
Sailing school, Diving, Boat
license school ...*







PRO The PRO range by AtlantiCraft has been specially designed for sea professionals.

Our R&D department has relied on advanced engineering to deliver boats that are robust, safe, and specifically adapted to intensive use.

Whatever your activity — sailing school, passenger transport, diving, spearfishing, water sports, or scientific missions — we are here to customise your boat to your needs.

PRO range: 9 lengths, from 5.50 to 12.0 metres!



Sailing school



Sea excursions



PRO EQUIPMENT

Electric Motor



Boarding Ladder



Jockey Seats





Davits



Tow Bar



XXL T-Top



PRO

Modularity


	5.50	6.00	6.50	7.00	7.60	8.60	9.60	10.60	12.00
Length (m)	5.00	5.50	6.00	7.00	7.60	8.60	9.60	10.60	12.00
Width (m)	2.40	2.40	2.50	2.90	2.90	3.10	3.15	3.15	3.20
Capacity (pers)	10	11	12	15	16	20	24	25	26
Max load (Kg)	1194	1302	1387	1567	1877	2130	2280	2800	3200
Max power (CV)	100	115	150	250	300	2x200	2x350	2x400	3x350
Tube diameter (cm)	52	52	55	55	58	58	58	60	60
Weight (Kg)	420	470	640	900	980	1390	1500	1650	2000
Tank (L)	118	118	148	250	250	400	500	600	800

*Includes console, seats and rollbar



TENDER

Practicality





TENDER

Light, robust, and perfectly stable, AtlantiCraft tenders are designed to make all your trips at sea easier, from anchorage to shore. Thanks to their optimised construction and large-diameter tubes, these tenders deliver excellent buoyancy, remarkable on-board comfort, and a dry ride, even at full load.

Easy to handle and quick to launch, our tenders plane instantly, offering ideal performance for safely transporting passengers and equipment. Whether for a shuttle to the harbour, a logistical mission, or an occasional outing, they are the indispensable companions of your boat.

Reliability, simplicity, efficiency: choose an AtlantiCraft tender for your journeys with complete confidence.



TENDER

Practicality

	2.70	3.30	3.60	4.30
Length (m)	2.70	3.30	3.60	4.30
Width (m)	1.50	1.70	1.74	2.00
Capacity (pers)	3	5	6	8
Max load (Kg)	400	550	630	840
Max power (CV)	10	25	30	60
Tube diameter (cm)	42	42	44	46
Weight (Kg) *	28	65	89	192
Tank (L)	/	/	/	/



BLACKPEARL RANGE

Technical Specifications	BlackPearl 5.50	BlackPearl 6.00	BlackPearl 6.50	BlackPearl 7.00	BlackPearl 7.60	BlackPearl 8.60
Length (m)	5.50	6.00	6.50	7.00	7.60	8.60
Width (m)	2.34	2.50	2.55	2.80	2.80	3.05
Internal Length (m)	3.73	4.24	4.75	5.26	5.87	6.70
Internal Width (m)	1.24	1.40	1.40	1.66	1.66	1.88
Bow Height (m)	1.11	1.28	1.28	1.34	1.34	1.48
Stern Height (m)	0.85	0,91	0.94	0.95	0.96	1.00
Watertight Compartments	6	6	6	6	6	6
V-Hull Angle (°)	23	24	25	25	25	26
Capacity (pers)	11	12	13	15	16	20
Recommended Capacity	7	8	8	9	10	14
Max Load (Kg)	1194	1302	1387	1567	1877	2130
Max Power (CV)	115	150	200	250	300	2*300
Recommended Power (CV)	90	115	150	200	250	350
Tube Diameter (cm)	53	55	55	55	55	55
Weight (Kg) *	504	665	704	890	975	1373
Max Engine Weight (kg)	194	230	263	290	310	680
Shaft Length	L	XL	XL	XL	XL	XL/XL
Transom Height (mm)	530	640	640	640	640	730
Conception category	C	C	C	C	C	B/C
Tank (L)	100	120	150	250	280	400

*Includes console and seats

OCEAN RANGE

Technical Specifications	Ocean 5.00	Ocean 5.50	Ocean 6.00	Ocean 6.50	Ocean 7.00	Ocean 7.60	Ocean 8.60	Ocean 9.60
Length (m)	5.00	5.50	6.00	6.50	7.00	7.60	8.60	9.60
Width (m)	2.34	2.34	2.50	2.55	2.80	2.80	3.05	3.10
Internal Length (m)	3.25	3.73	4.24	4.75	5.26	5.87	6.70	7.75
Internal Width (m)	1.24	1.24	1.40	1.40	1.66	1.66	1.88	1.90
Bow Height (m)	1.11	1.11	1.28	1.28	1.34	1.34	1.48	1.60
Stern Height (m)	0.80	0.85	0,91	0.94	0.95	0.96	1.00	1.04
Watertight Compartments	6	6	6	6	6	6	6	7
V-Hull Angle (°)	23	23	24	25	25	25	26	26
Capacity (pers)	10	11	12	13	14	16	20	22
Recommended Capacity	6	7	8	8	9	10	14	16
Max Load (Kg)	994	1194	1302	1387	1567	1877	2130	2280
Max Power (CV)	100	115	150	200	250	300	2*300	2*350
Recommended Power (CV)	80	90	115	150	200	250	350	2*250
Tube Diameter (cm)	53	53	55	55	55	55	55	58
Weight (Kg) *	430	504	665	704	890	975	1373	1500
Max Engine Weight (kg)	166	194	230	263	290	310	680	750
Shaft Length	L	L	XL	XL	XL	XL	XL/XL	XL/XL
Transom Height (mm)	530	530	640	640	640	640	730	730
Conception category	C	C	C	C	C	C	B/C	B/C
Tank (L)	80	100	120	150	250	280	400	500

*Includes console, seats and rollbar

CONDOR RANGE

Technical Specifications	Condor 4.30	Condor 5.00	Condor 5.50	Condor 6.00	Condor 6.50
Length (m)	4.30	5.00	5.50	6.00	6.50
Width (m)	2	2.40	2.40	2.50	2.55
Internal Length (m)	3.28	4.04	4.54	5.04	5.54
Internal Width (m)	1.04	1.30	1.30	1.40	1.40
Bow Height (m)	0.98	1.16	1.16	1.16	1.16
Stern Height (m)	0.60	0.76	0.76	0.78	0,78
Watertight Compartments	4	5	5	6	6
V-Hull Angle (°)	20	24	24	24	24
Capacity (pers)	8	10	11	12	13
Recommended Capacity	6	6	7	8	8
Max Load (Kg)	840	994	1194	1302	1387
Max Power (CV)	60	100	115	150	200
Recommended Power (CV)	40	80	90	115	150
Tube Diameter (cm)	46	52	52	55	55
Weight (Kg) *	240	420	490	640	685
Max Engine Weight (kg)	115	166	194	230	263
Shaft Length	L	L	L	XL	XL
Transom Height (mm)	530	530	530	640	640
Conception category	C	C	C	C	C
Tank (L)	60	118	118	148	170

LOUNGE RANGE

Technical Specifications	Lounge 6.50	Lounge 7.00	Lounge 7.60	Lounge 8.60	Lounge 9.60
Length (m)	6.50	7.00	7.60	8.60	9.60
Width (m)	2.55	2.80	2.90	3.10	3.15
Internal Length (m)	4.70	5.16	5.76	6.70	7.75
Internal Width (m)	1.50	1.70	1.70	1.86	1.90
Bow Height (m)	1.20	1.39	1.39	1.60	1.60
Stern Height (m)	0.87	0.90	0.90	1.04	1.04
Watertight Compartments	5	6	6	7	7
V-Hull Angle (°)	26	24	24	26	26
Capacity (pers)	13	14	16	20	24
Recommended Capacity	8	9	10	14	16
Max Load (Kg)	1387	1567	1877	2130	2280
Max Power (CV)	200	250	300	2*300	2*350
Recommended Power (CV)	150	200	250	2*200	2*250
Tube Diameter (cm)	55	55	58	58	58
Weight (Kg) *	700	900	980	1390	1500
Max Engine Weight (kg)	263	290	310	680	750
Shaft Length	XL	XL	XL	XL/XL	XL/XL
Transom Height (mm)	640	640	640	730	730
Conception category	C	C	C	B/C	B/C
Tank (L)	140	250	250	400	500

*Includes console, seats and rollbar

PRO RANGE

Technical Specifications	Pro 5.50	Pro 6.00	Pro 6.50	Pro 7.00	Pro 7.60	Pro 8.60	Pro 9.60	Pro 10.60	Pro 12.00
Length (m)	5.50	6.00	6.50	7.00	7.60	8.60	9.60	10.60	12.00
Width (m)	2.40	2.50	2.55	2.90	2.90	3.10	3.15	3.15	3.20
Internal Length (m)	4.54	5.04	5.54	5.16	5.76	6.70	7.75	8.80	10.2
Internal Width (m)	1.30	1.40	1.40	1.70	1.70	1.86	1.90	1.90	2.00
Bow Height (m)	1.16	1.16	1.16	1.39	1.39	1.60	1.60	1.60	1.60
Stern Height (m)	0.76	0.78	0,78	0.90	0.90	1.04	1.04	1.04	1.04
Watertight Compartments	5	6	6	6	6	7	7	8	8
V-Hull Angle (°)	24	24	24	24	24	26	26	26	26
Capacity (pers)	11	12	13	15	16	20	24	25	26
Recommended Capacity	7	8	8	10	12	14	16	16	18
Max Load (Kg)	1194	1302	1387	1567	1877	2130	2280	2800	3200
Max Power (CV)	115	150	200	250	300	2*300	2*350	2*400	3*350
Recommended Power (CV)	90	115	150	200	250	2*200	2*250	2*300	2*350
Tube Diameter (cm)	52	55	55	55	58	58	58	60	60
Weight (Kg) *	490	640	685	900	980	1390	1500	1650	2000
Max Engine Weight (kg)	194	230	263	290	310	680	750	780	1020
Shaft Length	L	XL	XL	XL	XL	XL/XL	XL/XL	XL/XL	XL/UL/XL
Transom Height (mm)	530	640	640	640	640	730	730	730	730
Conception category	C	C	C	C	C	B/C	B/C	B/C	B/C
Tank (L)	118	148	160	250	250	400	500	600	800

TENDER RANGE

Technical Specifications	Tender 2.70	Tender 3.30	Tender 3.60	Tender 4.30
Length (m)	2.70	3.30	3.60	4.30
Width (m)	1.50	1.70	1.74	2.00
Internal Length (m)	1.64	2.4	2.70	3.15
Internal Width (m)	0.70	0.83	0.83	1.04
Bow Height (m)	0.65	0.85	0.88	0.95
Stern Height (m)	0.40	0.41	0.41	0.53
Watertight Compartments	3	3	4	4
V-Hull Angle (°)	/	20	20	20
Capacity (pers)	3	5	6	8
Recommended Capacity	2	4	5	6
Max Load (Kg)	400	550	630	840
Max Power (CV)	10	25	30	60
Recommended Power (CV)	6	20	25	40
Tube Diameter (cm)	42	42	44	46
Weight (Kg)	28	65	89	192
Max Engine Weight (kg)	53	70	72	115
Shaft Length	S	S	S	L
Transom Height (mm)	400	410	410	530
Conception category	C	C	C	C
Tank (L)	/	/	/	/





AtlantiCraft

THE ATLANTICRAFT SERVICE

**An international network
of trusted partners and
intervention teams.**

Thanks to our partners together
with our intervention teams, you
can benefit from an efficient and
reliable after-sales service.

Our teams will put all their
expertise at your disposal. Feel free
to contact us to find out more!

YEARS

2

WARRANTY





Terms and Conditions:

With a constant commitment to improving its products, ATLANTICRAFT reserves the right to change or enhance the design or specifications of its products at any time, without prior notice and without retroactive effect on boats previously built.

This brochure may refer to trademarks owned by other companies. Such references are purely indicative and do not constitute a commitment.

This brochure cannot, under any circumstances, be considered as a contractual document.

Non-contractual pictures.

ATLANTICRAFT reserves the right to modify product specifications without prior notice (Tolerance: +/- 3% on dimensions, +/- 5% on weights and speeds).

ATLANTICRAFT is a registered trademark. ATLANTICRAFT operates under the name of the company MARINE RIB.

S.A.S. with a share capital of €10,000 – SIREN 904 670 213 00027 – 1 rue de l'Avenir, 85750 Angles, France.



AtlantiCraft



CONTACT

Phone : 0033 6 04 53 55 90

Email : contact@atlanticraft.fr

Website : www.atlanticraftboats.com